UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,052	10/13/2006	Masayoshi Takahashi	B-5926PCT 623364-3	9788
36716 LADAS & PAR	7590 10/13/200 RRY	EXAMINER		
5670 WILSHIR	E BOULEVARD, SU	STELLING, LUCAS A		
LOS ANGELE,	LOS ANGELES, CA 90036-5679		ART UNIT	PAPER NUMBER
			1797	
			MAIL DATE	DELIVERY MODE
			10/13/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comment	10/574,052	TAKAHASHI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Lucas Stelling	1797			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on <u>29 Ma</u>	arch 2006				
	· · · · · · · · · · · · · · · · · · ·				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under Lx parte Quayle, 1955 C.D. 11, 455 C.C. 215.					
Disposition of Claims					
4) Claim(s) 1-17 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-17 are subject to restriction and/or election requirement.					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	ite			
Paper No(s)/Mail Date 6) Other:					

Application/Control Number: 10/574,052 Page 2

Art Unit: 1797

DETAILED ACTION

1. Applicant's submission of amended claims under the PCT is acknowledged, and these are form the basis of this communication.

Election/Restrictions

2. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

- A. Wherein the stimulation is electric discharge. See Fig. 5.
- B. Wherein the stimulation is ultra-sonic waves. See Fig. 6.
- C. Wherein the stimulation is using an orifice plate, or porous plate, to stimulate the solution contained in a container by passing the solution through a circulation pipe. See Fig. 7.
- D. Wherein the stimulation is forcible internal circulation between the generator and the container, where the solution passes through a punching plate in the pipe, and which also includes recirculation. See Figs. 8 and 9.
- E. Wherein the stimulation is a radical chain reaction occurring at the liquid interface associated with ozone decomposition. See Fig. 10.

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims

Application/Control Number: 10/574,052 Page 3

Art Unit: 1797

subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

3. The claims are deemed to correspond to the species listed above in the following manner:

Species A corresponds to claim 7.

Species B corresponds to claims 8-9.

Species C corresponds to claims 10-13.

Species D corresponds to claims 14-16.

Species E corresponds to claim 17.

The following claim(s) are generic: 1-6.

4. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The common technical features between these species is essentially the subject matter of claim 1, where the collapse of the floated microbubbles having a diameter less than 50µm is accelerated with a stimulation. This use of stimulation to collapse microbubbles is shown for example in U.S. Patent No. 6,200,486 to Chahine et al. ("Chahine"), in the collapse of microbubbles is accelerated with a solid surface which induces stimulation in the flow of the fluid (Chahine col. 9 lines 35-50). And although Chahine does not explicitly contemplate the specific size of the microbubbles, U.S. Patent No. 6,394,429 to Ganan-Calvo teaches bubbles between 0.1 microns and 100 microns are produced using high pressure jets (Ganan-Calvo see at least abstract).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the

requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lucas Stelling whose telephone number is (571)270-3725. The examiner can normally be reached on Monday through Thursday 12:00PM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/574,052 Page 5

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Las 10-8-09

/Matthew O Savage/ Primary Examiner, Art Unit 1797